Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8 -	36	"205".clas. and (reference adj electrode) and ((double capacitive capacitance) near2 layer) and ((square rectangle rectangular) near (step wavefunction wave pulse))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 12:52
L9 [°]	8	"205".clas. and (reference adj electrode) and (((double capacitive capacitance) near2 layer) with (voltage potential) with (control controll\$3 maintain maintain\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 12:54
L10	20	"205".clas. and (reference adj electrode) and ((double capacitive capacitance) near2 layer) and ((voltage potential) with (control controll\$3 maintain maintain\$3) with across)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 13:48
L11	0	"205".clas. and (reference adj electrode) and (((double capacitive capacitance) near2 layer) with ((voltage potential) with (control controll\$3 maintain maintain\$3) with across))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 13:49
L12	1	"205".clas. and (reference adj electrode) and (((double capacitive capacitance) near2 (layer interface)) with ((voltage potential) with (control controll\$3 maintain maintain\$3) with across))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 13:56
L13	8	"205".clas. and (reference adj electrode) and (((double capacitive capacitance) near2 (layer interface)) with ((voltage potential) with (control controll\$3 maintain maintain\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 13:57
L14	28	"205".clas. and (reference adj electrode) and (((double capacitive capacitance) near2 (layer interface)) same ((voltage potential) with (control controll\$3 maintain maintain\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 14:48
L15		"205".clas. and (reference adj electrode) and (((double capacitive capacitance) near2 (layer interface impedance)) same ((voltage potential) with (control controll\$3 maintain maintain\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 14:13

			· · · · · ·			,
L16	22	L15 not L14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 14:11
L17	64	"205".clas. and (reference adj electrode) and (((double capacitive capacitance) near2 (layer interface impedance)) same ((voltage potential) with (control controll\$3 maintain maintain\$3 constant predetermin\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 14:37
L18	7	"205".clas. and (reference adj electrode) and (((double capacitive capacitance) near2 (layer interface impedance)) and (((voltage potential) with (control controll\$3 maintain maintain\$3 constant predetermin\$3))) with ("10 mV" "5 mV" "1 mV" "2 mV" "3 mV"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 15:19
L19	4	L14 and ((sweep scan) adj rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 14:48
L20	49	("20020098779" "20020102853" "20 020119286" "20020130034" "20020 130049" "20030010648" "3838032" "4123335" "5217586" "5256565" "5 575706" "5807165" "5911619" "598 0708" "6171467" "6299741" "63681 90" "6375549" "6413388" "6413403 " "6440295" "6478936").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 15:10
L21	23	brusic-vlasta.in. cahan-boris.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 16:29
L22	1	L21 and (reference adj electrode) .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 16:29

				~		
S1	82	("20030114087" "20030173230" "20030178320" "20030213703" "20030216045" "20030234184" "20040020788" "20040023495" "20040053512" "20040053560" "20040072445" "20040112760" "20040121708" "20040159558" "20040163946" "20040200733" "20040266193" "20050092620" "20050092621" "20050101138" "20050161341" "20050167266" "20050173259" "20050178743" "20060148381" "20060151336" "20060163074" "20060151336" "2006029007" "20060231414" "20060237330" "20060254927" "6368190" "6776693" "6841057" "6848970" "6977036" "6991526" "7029365" "7070475" "7077721" "7112270" "7125477" "7128825" "7137868" "7141146" "7141155").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 19:17
S2 ,	10	S1 and (reference adj electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 14:25
S3	3	(US-7112270-\$ or US-6848970-\$ or US-6991526-\$).did.	USPAT	OR	ON	2007/03/22 14:38
S4	1	S3 and (potential voltage) near (drop perturbation)	USPAT	OR	ON	2007/03/22 14:40
S5	47	(electrochemical electrochemically) near2 (etch etch\$3 planarizatoin planariz\$3 polish polish\$3) and (reference adj electrode) and (potential voltage) near2 (drop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 14:42
S6	66	(electrochemical electrochemically) near2 (etch etch\$3 planarizatoin planariz\$3 polish polish\$3) and (reference adj electrode) and (((potential voltage) near2 (drop)) IR)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 14:43
S7	7	(US-20020137348-\$).did. or (US-7112270-\$ or US-6848970-\$ or US-6991526-\$ or US-6689269-\$ or US-6562204-\$ or US-6551483-\$). did.	US-PGPUB; USPAT	OR	ON	2007/03/22 15:06

S8	0	S7 and (measure measur\$3 determin\$3 deriv\$3) near2 ((potential) adj (drop correction offset calibration)) with (reference adj electrode)	US-PGPUB; USPAT	OR	ON	2007/03/22 15:18
S9	49	("20020098779" "20020102853" "20 020119286" "20020130034" "20020 130049" "20030010648" "3838032" "4123335" "5217586" "5256565" "5 575706" "5807165" "5911619" "598 0708" "6171467" "6299741" "63681 90" "6375549" "6413388" "6413403 " "6440295" "6478936").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 18:21
S10	8	S9 and (reference adj electrode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 11:18
S11	2	"2002125141"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/03/26 15:07
S12	10	wilson-gregory.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 15:03
S13	3	"20020125141"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 16:23
S14	4198	205/81,775-794.5.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 16:24
S15	1984	S14 and (reference adj electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 16:24

	· · · · · · · · · · · · · · · · · · ·					
S16	131	S15 and ((double capacitive) adj layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 16:25
S17	169	S15 and ((double capacitive capacitance) near2 layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 16:26
S18	43	S15 and ((double capacitive capacitance) near2 layer) and ((IR near2 correction) ((potential voltage) near (drop correction)) (solution near resistance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 16:30
S19	9	S18 and ((square rectangle rectangular) near (step wave wavefunction pulse))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 16:31
S21	12	"205".clas. and (reference adj electrode) and ((double capacitive capacitance) near2 layer) and ((square rectangle rectangular) near (step wavefunction wave pulse)) and ((IR near2 correction) ((potential voltage) near (drop correction)) (solution near resistance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 16:54
S22		S21 and (current near2 (limit\$3 clipp\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 16:54
S23	43	"205".clas. and (reference adj electrode) and ((double capacitive capacitance) near2 layer) and (current near2 (limit\$3 clipp\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 18:37

			_			
S24	49	("20020098779" "20020102853" "20 020119286" "20020130034" "20020 130049" "20030010648" "3838032" "4123335" "5217586" "5256565" "5 575706" "5807165" "5911619" "598 0708" "6171467" "6299741" "63681 90" "6375549" "6413388" "6413403 " "6440295" "6478936").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 18:21
S25	2	S24 and (current near2 (limit\$3 clipp\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 18:36
S26	2	S24 and ((current near2 (limit\$3 clipp\$3)) (zener adj diode))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/03/26 18:36
S27	43	"205".clas. and (reference adj electrode) and ((double capacitive capacitance) near2 layer) and ((current near2 (limit\$3 clipp\$3)) (zener adj diode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/27 16:28
S28	2	"205".clas. and (reference adj electrode) and ((double capacitive capacitance) near2 layer) and ((zener adj diode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 19:17

			· · · · · ·	1		
S29	82	("20030114087" "20030173230" "20030178320" "20030213703" "20030216045" "20030234184" "20040020788" "20040023495" "20040053512" "20040053560" "20040072445" "20040112760" "20040121708" "20040159558" "20040163946" "20040200733" "20040266193" "20050092620" "20050092621" "20050101138" "20050161341" "20050167266" "20050173259" "20050178743" "20060148381" "20060151336" "20060163074" "20060189140" "20060228992" "20060229007" "20060231414" "20060237330" "20060254927" "6368190" "6776693" "6841057" "6848970" "6977036" "6991526" "7029365" "7070475" "7077721" "7112270" "7125477" "7128825" "7137868" "7141146" "7141155").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 19:17
S30	0	S29 and (reference adj electrode) and ((double capacitive capacitance) near2 layer) and ((zener adj diode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 19:18
S31		S29 and (reference adj electrode) and ((double capacitive capacitance) near2 layer) and ((current near2 (limit\$3 clipp\$3)) (zener adj diode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 19:20
S32	1	"WO00/40362"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 19:20